

MVF/MVP Panels

Specifications and Color Options



Antique Bronze (AQ)
PVDF

Ash Gray (AG)
PVDF

Charcoal Gray (CG)
PVDF

Fieldstone (FS)
PVDF

Polar White (PW)
PVDF - (24Ga SSR ONLY)

Parchment (PA)
PVDF - (24Ga SSR ONLY)

Sierra Madre (SM)
PVDF

Since all color applications are affected by age, lighting conditions, heat, digital screen settings, and mechanical coating or printing processes, the color represented on this page may vary in color or finish from the actual product. DO NOT CHOOSE COLORS FROM THIS FORM. SELECTIONS ARE BEST MADE FROM ACTUAL PANEL SAMPLES. Oil canning in the flat areas of panels is inherent of coil steel products and shall not be a cause for product refusal.

Carbon (CB)
PVDF

Emerald Green (EG)
PVDF

Royale Blue (RB)
PVDF



Cherokee (CK)
FEVE

* All colors 24 ga. only. Only Galvalume and select colors are regularly stocked. Special order colors may require extended lead times.

Galvalume (GM)




Note: Dimensions are nominal



MVF/MVP Panels

Both the new MVF (Mechanically seamed Vertical leg Flat) and the MVP (Mechanically seamed Vertical leg Pencil-rib) have been engineered for higher uplift capacity, improved performance and erectability. To help reduce the effects of oil canning, the pan of both panels includes striations, while the MVP panel also incorporates pencil ribs into the design.

The MVF and MVP are 24 gauge, mechanically seamed, 50ksi steel roof panels that are ideal for retail stores, dealerships, offices, churches, schools and any building where architectural appearance is desirable. The versatile MVF/MVP panels do not require a structural underlayment, but can be installed over one if desired. With the MVF and MVP panels, Chief Buildings has created a higher performance standard for an industry favorite.



PVDF - Polyvinylidene Fluoride

35 year limited finish warranty

Chief's finish is made with polyvinylidene fluoride resin, where a minimum of 70% of the resin is PVDF. This unique chemistry is combined with acrylic resin, as well as ceramic and select inorganic pigmentation. The result is a proven ability to resist ultraviolet radiation in sunlight for maximum protection against general weathering effects, chalking and fading.

FEVE - Fluoroethylene Vinyl Ether

35 year limited finish warranty

Chief's FEVE finish is a fluoropolymer resin-based coating that is highly resistant to weathering, airborne chemicals, acid rain, and most cleaning solvents used to remove graffiti. Colors are deep, rich, bright and vibrant, plus high gloss - a combination not normally seen in the architectural industry.

GM - Acrylic Coated Galvalume®

20 year limited finish warranty

Chief's exterior roof, wall and trim material is available in an industry standard ASTM A792 Acrylic Coated Galvalume® finish. Galvalume® is a unique coating of 55% aluminum and 45% zinc that resists corrosion. The Galvalume® sheet is coated with a thin, clear acrylic coating applied to both sides.

Galvalume® is a registered trademark of BIEC International, Inc.



1821 S. North Road / PO Box 2078 / Grand Island, NE 68802-2078 / (308) 389-7281 / www.chiefbuildings.com